Author Index

Akashi R *see* Nagaoka S, 419
Akhtar S *see* Davies MC, 228
Albrektsson T *see* Johansson CB, 276
Anderson JM *see* Brunstedt MR, 370
Andrade JD *see* Lee JH, 455
Asano M *see* Fukuzaki H, 441

Bagambisa FB and Joos U, Preliminary studies on the phenomenological behaviour of osteoblasts cultured on hydroxyapatite ceramics, 50
Bantjes A *see* Brinkman E, 200
Barbosa MA *see* Silva RA, 336
Barbucci R, Workshop on the characterization of biomaterials in contact with blood Siena, Italy, 18–19 January 1988, 138
Barrett GD *see* Chirila TV, 305, 313
Bartels H *see* Sedlarik KM, 4
Bastioli C, Romano G and Migliaresi C, Water sorption and mechanical properties of dental composites, 219
Bawa R and Nandu M, Physico-chemical considerations in the development of an ocular polymeric drug delivery system, 724
Beight J *see* Ducheyne P, 531
Beranova M *see* Wasserbauer R, 36
Beranova M, Wasserbauer R, Vancurova D, Stifter M, Ocenaskova J and Mara M, Effect of cytochrome P-450 inhibition and stimulation on intensity of polyethylene degradation in microsomal fraction of mouse and rat livers, 521
Berg RA *see* Jain MK, 465
Bernabeu P and Caprani A, Influence of surface charge on adsorption of fibrinogen and/or albumin on a rotating disc electrode of platinum and carbon, 258
Bjursten LM, Emanuelsson L, Ericson LE, Thomsen P, Lausmaa J, Mattsson L, Rolander U and Kasemo B, Method for ultrastructural studies of the intact tissue–metal interface, 596
Boughner D *see* Song T, 191
Boyd J *see* Pathak YV, 718
Braden M *see* Tay WM, 361
*see*Parker S, 482, 579
Brannon-Peppas L and Peppas NA, Dynamic and equilibrium swelling behaviour of pH-sensitive hydrogels containing 2-hydroxyethyl methacrylate, 635
Brannan-Peppas L, Controlled Release Technologies: A Survey of Research and Commercial Applications, R Duncan and LW Seymour (Book Review), 224
Brem H, Polymers to treat brain tumours, 699
Brinkman E, Poot A, van der Does L and Bantjes A, Platelet deposition studies on copolyether urethanes modified with poly(ethylene oxide), 200
Bros A *see* Charef S, 425
Brown SA, Hastings RS, Mason JJ and Moet A, Characterization of short-fibre reinforced thermoplastics for fracture fixation devices, 541
Bruin P, Smedinga J, Pennings AJ and Jonkman MF, Biodegradable lysine diisocyanate–based poly(glycolide-co-ε-caprolactone)urethane network in artificial skin, 291
Brunstedt MR, Anderson JM, Spilizewski KL, Marchant RE and Hiltner A, *In vivo* leucocyte interactions on Pellethane surfaces, 370

Callise D *see* Riquet M, 518
Candela I *see* Garcia Paez JM, 186
Cannas M, Indemini E, Krajewski A and Ravaglioli A, *In vitro* observations of iron-doped bioactive glasses, 281
Caprani A *see* Bernabeu P, 258
Carnot F *see* Riquet M, 518
Carrera San Martin A *see* Garcia Paez JM, 186
Cha Y and Pitt CG, The biodegradability of polyester blends, 108
Chapman D *see* Tanfani F, 585
Charef S, Jozefowicz M, Labarre D, Tapon-Bretaudiere J, Fischer AM and Bros A, Plasmatic antiproteinase activity enhancement by insoluble functionalized polystyrene surfaces, 425
Chegini N *see* Metz SA, 41
Chen JP and Hoffman AS, Polymer–protein conjugates. II. Affinity precipitation separation of human immunogammaglobulin by a poly(N-isopropylacrylamide)-protein A conjugate, 631
Chen JP, Yang HJ and Hoffman AS, Polymer-protein conjugates. I. Effect of protein conjugation on the cloud point of poly(N-isopropylacrylamide), 625
Chirila TV, Constable IJ, van Saarloos PP and Barrett GD, Laser-induced damage to transparent polymers: chemical effect of short-pulsed (Q-switched) Nd:YAG laser radiation on ophthalmic acrylic biomaterials. I. A review, 305
Chirila TV, Barrett GD, Russo AV, Constable IJ, van Saarloos PP and Russo CI, Laser-induced damage to transparent polymers: chemical effect of short-pulsed (Q-switched) Nd:YAG laser radiation on ophthalmic acrylic biomaterials. II. Study of monomer release from artificial intraocular lenses, 313
Chithambara Thanoo B and Jayakrishnan A, Barium sulphate-loaded p(HEMA) microspheres as artificial emboli: preparation and properties, 477
Cifkova I, Lopour P, Vondracek P and Jelinek F, Silicone rubber–hydrogel composites as polymeric biomaterials. I. Biological properties of the silicone rubber–p(HEMA) composite, 393
Cima LG *see* Langer R, 738
Cohn, D *see* Gershon B, 548
Comfort A, Dinh SM, Otte J and Shevchuk I, Enhanced transport in a therapeutic transdermal system, 681
Cone RA *see* Radomsky ML, 619
Constable IJ *see* Chirila TV, 305, 313
Cook WD and Moopnar M, Influence of chemical structure on the fracture behaviour of dimethacrylate composite resins, 272
Courtney JM *see* Srivastava S, 133, 155, 162
Couvreur P *see* Muller RH, 590
Cuckler J *see* Ducheyne P, 531
Cunliffe WJ *see* Rowling PJE, 181

Dabadie M *see* Louis J-P, 525
Davies MC, Khan MA, Short RD, Akhtar S, Pouton C and Watts JF, XPS and SSIMS analysis of the surface chemical structure of poly(caprolactone) and poly(β-hydroxybutyrate-β-hydroxyvalerate) copolymers, 228
de Bleyser J *see* Roorda WE, 17
de Blieck-Hogervorst JMA *see* Klein CPAT, 509
de Groot K *see* Wu S-C. 491
see Klein CPAT, 509
De Wijn JR *see* Van Mullem PJ, 299
Dijk F *see* Wachem PB, 602
Dinh SM *see* Comfort A, 681
Dolezel B *see* Wasserbauer R, 36
Domb AJ, Biodegradable polymers derived from amino acids, 686
Domb, AJ, Polyanhydrides. V. Branched polyanhydrides, 690
Donald GS *see* Hodgkin JH, 9
Ducheyne P, Radin S, Heughebaert M and Heughebaert JC, Calcium phosphate ceramic coatings on porous titanium: effect of structure and composition on electrophoretic deposition, vacuum sintering, and *in vitro* dissolution, 244
Ducheyne P, Beight J Cuckler J, Evans B and Radin S, Effect of calcium phosphate coating characteristics on early post-operative bone tissue ingrowth, 531
Durrani AA *see* Tanfani F, 585

Eda Y *see* Maehara T, 122
Ellis J, Jackson AM, Scott RP and Wilson AD, Adhesion of carboxylate cements to hydroxyapatite. III. Adsorption of poly(alkenoic acids), 379
Emanuelsson L *see* Bjursten LM, 596
Ericson LE *see* Bjursten LM, 596
Evans B *see* Ducheyne P, 531

Ferritto MS and Tirrell DA, Photoregulation of the binding of an azobenzene-modified poly (methacrylic acid) to phosphatidylcholine bilayer membranes, 645
Feuerstein IA and Ratner BD, Adhesion and aggregation of thrombin prestimulated human platelets: evaluation of a series of biomaterials characterized by ESCA, 127
Fischer AM *see* Charef S, 425
Fix JA *see* Leppert PS, 46
Flanagan DR *see* Wang HT, 679
Folkman J, How the field of controlled-release technology began, and its role in the development of angiogenesis research, 615
French DA *see* Gorham SD, 113
French DA *see* Srivastava S, 155
Fricker DC and Shivanath R, Fretting corrosion studies of universal femoral head prostheses and cone taper spigots, 495
Fritzinger BK *see* Heller J, 235
Fukuzaki H, Yoshida M, Asano M, Kumakura N, Mashimo T, Yuasa H, Imai K and Yamanaka, *In vivo* characteristics of low molecular weight copolymers composed of L-lactic acid and various DL-hydroxy acids as biodegradable carriers for drug delivery systems, 441

Galgut PN, Oxidized cellulose mesh. I. Biodegradable membrane in periodontal surgery, 561
Galgut PN, Oxidized cellulose mesh. II. Using hydroxyapatite bone grafting material in the treatment of infrabony defects, 565
Gallix P *see* Riquet M, 518
Garcia Paez JM, Carrera San Martin A, Garcia Sestafe JV, Jorge E, Millan I and Candela I, The relationship between stress and relaxation in calf pericardium used in the construction of cardiac bioprostheses, 186
Garcia Sestafe JV *see* Garcia Paez JM, 186
Gatti AM, Zaffe D and Poli GP, Behaviour of tricalcium phosphate and hydroxyapatite granules in sheep bone defects, 513
Gershon B, Cohn D and Marom G, Utilization of composite laminate theory in the design of synthetic soft tissues for biomedical prostheses, 548
Gluszek J, Jedrkowiak J, Markowski J and Masalski J, Galvanic couples of 316L steel with Ti and ion plated Ti and TiN coatings in Ringer's solutions, 330
Golander C-G and Pitt WG, Characterization of hydrophobicity gradients prepared by means of radio frequency plasma discharge, 32
Gorham SD *see* Srivastava S, 133, 155, 162
Gorham SD, Hyland TP, French DA and Willins MJ, Cellular invasion and breakdown of three

Author Index

Akashi R *see* Nagaoka S, 419
Akhtar S *see* Davies MC, 228
Albrektsson T *see* Johansson CB, 276
Anderson JM *see* Brunstedt MR, 370
Andrade JD *see* Lee JH, 455
Asano M *see* Fukuzaki H, 441

Bagambisa FB and Joos U, Preliminary studies on the phenomenological behaviour of osteoblasts cultured on hydroxyapatite ceramics, 50
Bantjes A *see* Brinkman E, 200
Barbosa MA *see* Silva RA, 336
Barbucci R, Workshop on the characterization of biomaterials in contact with blood Siena, Italy, 18–19 January 1988, 138
Barrett GD *see* Chirila TV, 305, 313
Bartels H *see* Sedlarik KM, 4
Bastioli C, Romano G and Migliaresi C, Water sorption and mechanical properties of dental composites, 219
Bawa R and Nandu M, Physico-chemical considerations in the development of an ocular polymeric drug delivery system, 724
Beight J *see* Ducheyne P, 531
Beranova M *see* Wasserbauer R, 36
Beranova M, Wasserbauer R, Vancurova D, Stifter M, Ocenaskova J and Mara M, Effect of cytochrome P-450 inhibition and stimulation on intensity of polyethylene degradation in microsomal fraction of mouse and rat livers, 521
Berg RA *see* Jain MK, 465
Bernabeu P and Caprani A, Influence of surface charge on adsorption of fibrinogen and/or albumin on a rotating disc electrode of platinum and carbon, 258
Bjursten LM, Emanuelsson L, Ericson LE, Thomsen P, Lausmaa J, Mattsson L, Rolander U and Kasemo B, Method for ultrastructural studies of the intact tissue–metal interface, 596
Boughner D *see* Song T, 191
Boyd J *see* Pathak YV, 718
Braden M *see* Tay WM, 361
*see*Parker S, 482, 579
Brannon-Peppas L and Peppas NA, Dynamic and equilibrium swelling behaviour of pH-sensitive hydrogels containing 2-hydroxyethyl methacrylate, 635
Brannan-Peppas L, Controlled Release Technologies: A Survey of Research and Commercial Applications, R Duncan and LW Seymour (Book Review), 224
Brem H, Polymers to treat brain tumours, 699
Brinkman E, Poot A, van der Does L and Bantjes A, Platelet deposition studies on copolyether urethanes modified with poly(ethylene oxide), 200
Bros A *see* Charef S, 425
Brown SA, Hastings RS, Mason JJ and Moet A, Characterization of short-fibre reinforced thermoplastics for fracture fixation devices, 541
Bruin P, Smedinga J, Pennings AJ and Jonkman MF, Biodegradable lysine diisocyanate–based poly(glycolide-co-ε-caprolactone)urethane network in artificial skin, 291
Brunstedt MR, Anderson JM, Spilizewski KL, Marchant RE and Hiltner A, *In vivo* leucocyte interactions on Pellethane surfaces, 370

Callise D *see* Riquet M, 518
Candela I *see* Garcia Paez JM, 186
Cannas M, Indemini E, Krajewski A and Ravaglioli A, *In vitro* observations of iron-doped bioactive glasses, 281
Caprani A *see* Bernabeu P, 258
Carnot F *see* Riquet M, 518
Carrera San Martin A *see* Garcia Paez JM, 186
Cha Y and Pitt CG, The biodegradability of polyester blends, 108
Chapman D *see* Tanfani F, 585
Charef S, Jozefowicz M, Labarre D, Tapon-Bretaudiere J, Fischer AM and Bros A, Plasmatic antiproteinase activity enhancement by insoluble functionalized polystyrene surfaces, 425
Chegini N *see* Metz SA, 41
Chen JP and Hoffman AS, Polymer–protein conjugates. II. Affinity precipitation separation of human immunogammaglobulin by a poly(N-isopropylacrylamide)-protein A conjugate, 631
Chen JP, Yang HJ and Hoffman AS, Polymer-protein conjugates. I. Effect of protein conjugation on the cloud point of poly(N-isopropylacrylamide), 625
Chirila TV, Constable IJ, van Saarloos PP and Barrett GD, Laser-induced damage to transparent polymers: chemical effect of short-pulsed (Q-switched) Nd:YAG laser radiation on ophthalmic acrylic biomaterials. I. A review, 305
Chirila TV, Barrett GD, Russo AV, Constable IJ, van Saarloos PP and Russo CI, Laser-induced damage to transparent polymers: chemical effect of short-pulsed (Q-switched) Nd:YAG laser radiation on ophthalmic acrylic biomaterials. II. Study of monomer release from artificial intraocular lenses, 313
Chithambara Thanoo B and Jayakrishnan A, Barium sulphate-loaded p(HEMA) microspheres as artificial emboli: preparation and properties, 477
Cifkova I, Lopour P, Vondracek P and Jelinek F, Silicone rubber–hydrogel composites as polymeric biomaterials. I. Biological properties of the silicone rubber–p(HEMA) composite, 393
Cima LG *see* Langer R, 738
Cohn, D *see* Gershon B, 548
Comfort A, Dinh SM, Otte J and Shevchuk I, Enhanced transport in a therapeutic transdermal system, 681
Cone RA *see* Radomsky ML, 619
Constable IJ *see* Chirila TV, 305, 313
Cook WD and Moopnar M, Influence of chemical structure on the fracture behaviour of dimethacrylate composite resins, 272
Courtney JM *see* Srivastava S, 133, 155, 162
Couvreur P *see* Muller RH, 590
Cuckler J *see* Ducheyne P, 531
Cunliffe WJ *see* Rowling PJE, 181

Dabadie M *see* Louis J-P, 525
Davies MC, Khan MA, Short RD, Akhtar S, Pouton C and Watts JF, XPS and SSIMS analysis of the surface chemical structure of poly(caprolactone) and poly(β-hydroxybutyrate-β-hydroxyvalerate) copolymers, 228
de Bleyser J *see* Roorda WE, 17
de Blieck-Hogervorst JMA *see* Klein CPAT, 509
de Groot K *see* Wu S-C. 491
see Klein CPAT, 509
De Wijn JR *see* Van Mullem PJ, 299
Dijk F *see* Wachem PB, 602
Dinh SM *see* Comfort A, 681
Dolezel B *see* Wasserbauer R, 36
Domb AJ, Biodegradable polymers derived from amino acids, 686
Domb, AJ, Polyanhydrides. V. Branched polyanhydrides, 690
Donald GS *see* Hodgkin JH, 9
Ducheyne P, Radin S, Heughebaert M and Heughebaert JC, Calcium phosphate ceramic coatings on porous titanium: effect of structure and composition on electrophoretic deposition, vacuum sintering, and *in vitro* dissolution, 244
Ducheyne P, Beight J Cuckler J, Evans B and Radin S, Effect of calcium phosphate coating characteristics on early post-operative bone tissue ingrowth, 531
Durrani AA *see* Tanfani F, 585

Eda Y *see* Maehara T, 122
Ellis J, Jackson AM, Scott RP and Wilson AD, Adhesion of carboxylate cements to hydroxyapatite. III. Adsorption of poly(alkenoic acids), 379
Emanuelsson L *see* Bjursten LM, 596
Ericson LE *see* Bjursten LM, 596
Evans B *see* Ducheyne P, 531

Ferritto MS and Tirrell DA, Photoregulation of the binding of an azobenzene-modified poly (methacrylic acid) to phosphatidylcholine bilayer membranes, 645
Feuerstein IA and Ratner BD, Adhesion and aggregation of thrombin prestimulated human platelets: evaluation of a series of biomaterials characterized by ESCA, 127
Fischer AM *see* Charef S, 425
Fix JA *see* Leppert PS, 46
Flanagan DR *see* Wang HT, 679
Folkman J, How the field of controlled-release technology began, and its role in the development of angiogenesis research, 615
French DA *see* Gorham SD, 113
French DA *see* Srivastava S, 155
Fricker DC and Shivanath R, Fretting corrosion studies of universal femoral head prostheses and cone taper spigots, 495
Fritzinger BK *see* Heller J, 235
Fukuzaki H, Yoshida M, Asano M, Kumakura N, Mashimo T, Yuasa H, Imai K and Yamanaka, *In vivo* characteristics of low molecular weight copolymers composed of L-lactic acid and various DL-hydroxy acids as biodegradable carriers for drug delivery systems, 441

Galgut PN, Oxidized cellulose mesh. I. Biodegradable membrane in periodontal surgery, 561
Galgut PN, Oxidized cellulose mesh. II. Using hydroxyapatite bone grafting material in the treatment of infrabony defects, 565
Gallix P *see* Riquet M, 518
Garcia Paez JM, Carrera San Martin A, Garcia Sestafe JV, Jorge E, Millan I and Candela I, The relationship between stress and relaxation in calf pericardium used in the construction of cardiac bioprostheses, 186
Garcia Sestafe JV *see* Garcia Paez JM, 186
Gatti AM, Zaffe D and Poli GP, Behaviour of tricalcium phosphate and hydroxyapatite granules in sheep bone defects, 513
Gershon B, Cohn D and Marom G, Utilization of composite laminate theory in the design of synthetic soft tissues for biomedical prostheses, 548
Gluszek J, Jedrkowiak J, Markowski J and Masalski J, Galvanic couples of 316L steel with Ti and ion plated Ti and TiN coatings in Ringer's solutions, 330
Golander C-G and Pitt WG, Characterization of hydrophobicity gradients prepared by means of radio frequency plasma discharge, 32
Gorham SD *see* Srivastava S, 133, 155, 162
Gorham SD, Hyland TP, French DA and Willins MJ, Cellular invasion and breakdown of three

different collagen films in the lumbar muscle of the rat, 113

Hansson HA *see* Johansson CB, 276
Harris D and Robinson JR, Bioadhesive polymers in peptide drug delivery, 652
Hastings RS *see* Brown SA, 541
Hautaniemi JA, Juhanoja JT, Suoninen EJ and Yli-Urpo AUO, Oxidation of four palladium-rich ceramic fusing alloys, 62
Hayashi T and Ikada Y, Enzymatic hydrolysis of copoly(N-hydroxyalkyl L-glutamine/γ-methyl L-glutamate) fibres, 409
Heath GR *see* Hodgkin JH, 9
Heller J, Ng SY, Fritzinger BK and Roskos KV, Controlled drug release from bioerodible hydrophobic ointments, 235
Heller J, Pangburn SH and Roskos KV, Development of enzymatically degradable protective coatings for use in triggered drug delivery systems. II. Derivatized starch hydrogels, 345
Heller J, Development of poly(ortho esters): an historical overview, 659
Herbort J *see* Muller RH, 590
Heughebaert JC *see* Ducheyne P, 244
Heughebaert M *see* Ducheyne P, 244
Hiltner A *see* Brunstedt MR, 370
Hodgkin JH, Heath GR, Morris WD, Donald GS and Johnson G, Endothelial cell response to polyvinyl chloride-packaged GORETEX: effect of surface contamination, 9
Hoffman AS *see* Chen JP, 625, 631
Holland SJ *see* Yasin M, 451
Holland SJ, Yasin M and Tighe BJ, Polymers for biodegradable medical devices. VII. Hydroxybutyrate–hydroxyvalerate copolymers: degradation of copolymers and their blends with polysaccharides under *in vitro* physiological conditions, 206
Hoppen HJ, Leenslag JW, Pennings AJ, van der Lei B and Robinson PH, Two-ply biodegradable nerve guide: basic aspects of design, construction and biological performance, 286
Hyland TP *see* Gorham SD, 113
Hyon S-H *see* Tseng Y-C, 73

Ikada Y *see* Tseng Y-C, 73
see Matsuda K, 351
see Suzuki S, 356
see Hayashi T, 409
Ikeda Y, Kohjiya S, Takesako S and Yamashita S, Polyurethane elastomer having PEO–PTMO–PEO soft segment for sustained release of drug, 553
Imai K *see* Fukuzaki H, 441
Indemini E *see* Cannas M, 281
Ioku K, Yoshimura M and Somiya S, Microstructure and mechanical properties of hydroxyapatite ceramics with zirconia dispersion prepared by post-sintering, 57
Isshiki N *see* Matsuda K, 351
see Suzuki S, 356

Jackson AM *see* Scott R P, 341
see Ellis J, 379
Jackson AP, Measurement of the fracture toughness of some contact lens hydrogels, 404
Jain MK, Berg RA and Tandon GP, Mechanical stress and cellular metabolism in living soft tissue composites, 465
Janatova V *see* Lopour P, 397
Jayakrishnan A *see* Chithambara Thanoo B, 477
Jedrkowiak J *see* Gluszek J, 330
Jelinek F *see* Cifkova I, 393
Jenkins GM *see* Silva RA, 336
Jeyanthi R and Panduranga Rao K, *In vivo* biocompatibility of collagen–poly(hydroxyethyl methacrylate) hydrogels, 238
Johansson CB, Hansson HA and Albrektsson T, Qualitative interfacial study between bone and tantalum, niobium or commercially pure titanium, 276
Johnson G *see* Hodgkin JH, 9
Jonkman MF *see* Bruin P, 291
Joos U *see* Bagambisa FB, 50
Jorge E *see* Garcia Paez JM, 186
Jozefowicz M *see* Charef S, 425
Juhanoja JT *see* Hautaniemi JA, 62
Junginger HE *see* Roorda WE, 17

Kasemo B *see* Bjursten LM, 596
Kato YP and Silver FH, Formation of continuous collagen fibres: evaluation of biocompatibility and mechanical properties, 169
Kawaguchi H *see* Miyamoto M, 385
Kearnet JN *see* Rowling PJE, 181
Khan MA *see* Davies MC, 228
Kimura H *see* Okazaki M, 568
Klein CPAT *see* Wu, SC, 491
Klein CPAT, de Blieck-Hogervorst JMA, Wolke JGC and de Groot K, Studies of the solubility of different calcium phosphate ceramic particles *in vitro*, 509
Koers-Zuideveld R *see* van Wachem PB, 602
Kohjiya S *see* Ikeda Y, 553
Kohn J *see* Pulapura S, 666
Kojima M *see* Tanfani F, 585
Kokubo T *see* Ono K, 265
Kopecek J *see* Lee JH, 455
Kopeckova P *see* Lee JH, 455
Korndorffer M, Biointeractions 90, Conference Report, 607
Kost J and Shefer S, Chemically-modified polysaccharides for enzymatically controlled oral drug delivery, 695
Krajewski A *see* Cannas M, 281
Krouskop T *see* Nowicki B, 389
Kumakura N *see* Fukuzaki H, 441

Labarre D *see* Charef S, 425
Langer R, Cima LG, Tamada JA and Wintermantel E, Future directions in biomaterials, 738
Lausmaa J *see* Bjursten LM, 596
Lavallee C *see* Woerly S, 97
Lee JH, Kopeckova P, Kopecek J and Andrade JD, Surface properties of copolymers of alkyl methacrylates with methoxy (polyethylene oxide) methacrylates and their application as protein-resistant coatings, 455
Leenslag JW *see* Hoppen HJ, 286
Lefebvre F *see* Riquet M, 518
Lemaitre J *see* Mirtchi AA, 83
Leppert PS and Fix JA, Subcutaneous tissue cages for examination of slow release of materials from long-term implants, 46
Levesque MJ, Nerem RM and Sprague EA, Vascular endothelial cell proliferation in culture and the influence of flow, 702
Levy RJ *see* Pathak YV, 718
Leyte JC *see* Roorda WE, 17
Lherm C *see* Muller RH, 590
Li C *see* Pulapura S, 666
Linhardt RJ *see* Wang HT, 679
Lopour P *see* Cifkova I, 393
Lopour P, Vondracek P, Janatova V, Sulc J and Vacik J, Silicone rubber–hydrogel composites as polymeric biomaterials. II. Hydrophilicity and permeability to water-soluble low-molecular-weight compounds, 397
Louis J-P and Dabadie M, Fibrous carbon implants for the maintainance of bone volume after tooth avulsion: first clinical results, 525
Lundgren T and Sennerby L, Separation of non-collagenous proteins of bone formed in titanium implants: experimental study in the rabbit tibia, using a bone harvest chamber, 216

Maehara T, Eda Y, Mitani K and Matsuzawa S, Glycidyl methacrylate–styrene copolymer latex particles for immunologic agglutination tests, 122
Makela A *see* Vasenius J, 501
Mao FW *see* Park K, 24
Mara M *see* Beranova M, 521
Marchand R *see* Woerly S, 97
Marchant RE *see* Brunstedt MR, 370
Markowski J *see* Gluszek J, 330
Marom G *see* Gershon B, 548
Masalski J *see* Gluszek J, 330
Mashimo T *see* Fukuzaki H, 441
Mason JJ *see* Brown SA, 541
Masterson BJ *see* Metz SA, 41, 197
Matsuda K *see* Suzuki S, 356
Matsuda K, Suzuki S, Isshiki N, Yoshioka K, Okada T and Ikada Y, Influence of glycosaminoglycans on the collagen sponge component of a bilayer artificial skin, 351
Matsuya S *see* Murakami H, 435
Matsuya Y *see* Murakami H, 435
Matsuzawa S *see* Maehara T, 122
Mattsson L *see* Bjursten LM, 596
Meade KR and Silver FH, Immunogenicity of collagenous implants, 176
Mero M *see* Vasenius J, 501
Metz SA, Chegini N and Masterson BJ, *In vivo* and *in vitro* degradation of monofilament absorbable sutures, PDS and Maxon, 41
Metz SA, von Fraunhofer JA and Masterson BJ, Stress relaxation of organic suture materials, 197
Migliaresi C *see* Bastioli C, 219
Mikami M *see* Nagaoka S, 414
Millan I *see* Garcia Paez JM, 186
Milthorpe BK *see* Rogers GJ, 89
Minns RJ *see* Wood DJ, 13
Minoura N, Tsukada M and Nagura M, Physico-chemical properties of silk fibroin membrane as a biomaterial, 430
Mirtchi AA, Lemaitre J and Munting E, Calcium phosphate cements: study of the β-tricalcium phosphate – dicalcium phosphate – calcite cements, 83
Mitani K *see* Maehara T, 122
Miyamoto M, Sasakawa S, Ozawa T, Kawaguchi H and Ohtsuka Y, Mechanisms of blood coagulation induced by latex particles and the roles of blood cells, 385
Moet A *see* Brown SA, 541
Moopnar M *see* Cook, WD, 272
Morris WD *see* Hodgkin JH, 9
Muller RH, Lherm C, Herbort J and Couvreur P, *In vitro* model for the degradation of alkylcyanoacrylate nanoparticles, 590
Munting E *see* Mirtchi AA, 83
Murakami H, Matsuya Y and Matsuya S, Dissolution mechanism of zinc phosphate dental cement in acetic and lactic acid buffers, 435
Muratore A *see* Rogers GJ, 89

Nagaoka S and Nakao A, Clinical application of antithrombogenic hydrogel with long poly(ethylene oxide) chains, 119
Nagaoka S and Akashi R, Low-friction hydrophilic surface for medical devices, 419
Nagaoka S, Mikami M and Shimizu Y, Antithrombogenic PO_2 sensor for continuous intravascular oxygen monitoring, 414
Nagura M *see* Minoura N, 430
Nakamura T *see* Ono K, 265
Nakao A *see* Nagaoka S, 119
Nandu M *see* Bawa R, 724
Nerem RM *see* Levesque MJ, 702
Ng SY *see* Heller J, 235

Nicolai JPA *see* Van Mullem PJ, 299
Nowicki B, Runyan RS, Smith N and Krouskop T, Kinetics of colonization of a porous vitreous carbon percutaneous implant, 389

Ocenaskova J *see* Beranova M, 521
Ohmae H *see* Okazaki M, 568
Ohtsuka Y *see* Miyamoto M, 385
Okada T *see* Matsuda K, 351
Okazaki M and Sato M, Computer graphics of hydroxyapatite and β-tricalcium phosphate, 573
Okazaki M, Ohmae H, Takahashi J, Kimura H and Sakuda M, Insolubilized properties of UV-irradiated CO_3 apatite–collagen composites, 568
Ono K, Yamamuro T, Nakamura T and Kokubo T, Quantitative study on osteoconduction of apatite–wollastonite containing glass ceramic granules, hydroxyapatite granules, and alumina granules, 265
Otte J *see* Comfort A, 681
Ozawa T *see* Miyamoto M, 385

Palmer H *see* Wang HT, 679
Panduranga Rao K *see* Jeyanthi R, 238
Pangburn SH *see* Heller J, 345
Park H *see* Park K, 24
Park K, Mao FW and Park H, Morphological characterization of surface-induced platelet activation, 24
Parker S and Braden M, Soft prosthesis materials based on powdered elastomers, 482
Parker S and Braden M, Formulation of tissue conditioners, 579
Pathak YV, Boyd J, Levy RJ and Schoen FJ, Prevention of calcification of glutaraldehyde pretreated bovine pericardium through controlled release polymeric implants: studies of $Fe3^+$ $Al3^+$ protamine sulphate and levamisole, 718
Pennings AJ *see* Hoppen HJ, 286
Pennings AJ *see* Bruin P, 291
Peppas NA *see* Brannon-Peppas L, 635
Peppas NA, Polymers: Biomaterials and Medical Applications, Editor: JI Kroschwitz (Book Review), 367
Pitt CG *see* Cha Y, 108
Pitt WG *see* Golander C-G, 32
Poli GP *see* Gatti AM, 513
Poot A *see* Brinkman E, 200
Pouton C *see* Davies MC, 228
Pulapura S, Li C and Kohn J, Structure–property relationships for the design of polyiminocarbonates, 666

Rabaud M *see* Riquet M, 518
Radin S *see* Ducheyne P, 244, 531
Radomsky ML, Whaley KJ, Cone RA and Saltzman WM, Macromolecules released from polymers: diffusion into unstirred fluids, 619
Ratner BD *see* Feuerstein IA, 127
Ravaglioli A *see* Cannas M, 281
Ravaglioli A, Material Properties and Stress Analysis in Biomechanics, Editor: AL Yettram (Book Review), 368
Rawlings RD *see* Thompson I, 505
Raxworthy MJ *see* Rowling PJE, 181
Ray AR *see* Singh J, 473
Riquet M, Carnot F, Gallix P, Callise D, Lefebvre F and Rabaud M, Biocompatibility of elastin–fibrin material in the rat, 518
Robinson JR *see* Harris D, 652
Robinson PH *see* Hoppen HJ, 286
Rogers GJ, Milthorpe BK, Muratore A and Schindhelm K, Measurement of the mechanical properties of the ovine anterior cruciate ligament bone–ligament–bone complex: a basis for prosthetic evaluation, 89
Rokkanen P *see* Vasenius J, 501
Rolander U *see* Bjursten LM, 596
Romano G *see* Bastioli C, 219
Roorda WE, de Bleyser J, Junginger HE and Leyte JC, Nuclear magnetic relaxation of water in hydrogels, 17
Roskos KV *see* Heller J, 235
see Heller J, 345
Rowling PJE, Raxworthy MJ, Wood EJ, Kearnet JN and Cunliffe WJ, Fabrication and reorganization of dermal equivalents suitable for skin grafting after major cutaneous injury, 181
Runyan RS *see* Nowicki B, 389
Russo AV *see* Chirila TV, 313
Russo CI *see* Chirila TV, 313

Sakuda M *see* Okazaki M, 568
Saltzman WM *see* Radomsky ML, 619
Sasakawa S *see* Miyamoto M, 385
Sato M *see* Okazaki M, 573
Schakenraad JM *see* Sedlarik KM, 4
Schindhelm K *see* Rogers GJ, 89
Schmitt E *see* Wang HT, 679
Schoen FJ *see* Pathak YV, 718
Schrope B *see* Wheatley MA, 713
Scott RP *see* Ellis J, 379
Scott RP, Jackson AM and Wilson AD, Adhesion of carboxylate cements to hydroxyapatite. II. Adsorption of aromatic carboxylates, 341
Sedlarik KM, van Wachem PB, Bartels H and Schakenraad JM, Rapid endothelialization of microporous vascular prostheses covered with meshed vascular tissue: a preliminary report, 4
Sefton MV *see* Uludag H, 708
Sennerby L *see* Lundgren T, 216
Sharma CP and Sunny MC, Albumin adsorption on to aluminium oxide and polyurethane surfaces, 255
Shefer S *see* Kost J, 695
Shen P *see* Wheatley MA, 713
Shevchuk I *see* Comfort A, 681
Shimizu Y *see* Nagaoka S, 414
Shivanath R *see* Fricker DC, 495
Shivas AA *see* Srivastava S, 155
Short RD *see* Davies MC, 228
Silva RA, Barbosa MA, Jenkins GM and Sutherland I, Electrochemistry of galvanic couples between carbon and common metallic biomaterials in the presence of crevices, 336
Silver FH *see* Kato YP, 169
see Meade KR, 176
Singh H *see* Singh J, 473
Singh J, Ray AR, Singhal JP and Singh H, Radiation-induced graft copolymerization of methacrylic acid on to poly(vinyl chloride) films and their thrombogenicity, 473
Singhal JP *see* Singh J, 473
Smedinga J *see* Bruin P, 291
Smith N *see* Nowicki B, 389
Somiya S *see* Ioku K, 57
Song T, Vesely I and Boughner D, Effects of dynamic fixation on the shear behaviour of porcine xenograft valves, 191
Spilizewski KL *see* Brundstedt MR, 370
Sprague EA *see* Levesque MJ, 702
Srivastava S, Gorham SD and Courtney JM, Screening of *in vitro* cytotoxicity by the adhesive film test, 133
Srivastava S, Gorham SD, French DA, Shivas AA and Courtney JM, *In vivo* evaluation and comparison of collagen, acetylated collagen and collagen/glycosaminoglycan composite films and sponges as candidate biomaterials, 155
Srivastava S, Gorham SD and Courtney JM, The attachment and growth of an established cell line on collagen, chemically modified collagen, and collagen composite surfaces, 162
Stifter M *see* Beranova M, 521
Stronck JWS *see* van Wachem PB, 602
Strover A *see* Wood DJ, 13
Strover A, Materials Sciences and Implant Surgery, Editors: R Kossowsky and N Kossovsky (Book Review), 367
Sulc J *see* Lopour P, 397
Sunny MC *see* Sharma CP, 255
Suoninen EJ *see* Hautaniemi JA, 62
Sutherland I *see* Silva RA, 336
Suzuki S *see* Matsuda K, 351
Suzuki S, Matsuda K, Isshiki N, Tamada Y and Ikada Y, Experimental study of a newly developed bilayer artificial skin, 356

Takahashi J *see* Okazaki M, 568
Takesako S *see* Ikeda Y, 553
Tamada JA *see* Langer R, 738
Tamada Y *see* Suzuki S, 356
Tandon GP *see* Jain MK, 465
Tanfani F, Durrani AA, Kojima M and Chapman D, Glycidyl acrylate plasma glow discharged polymers, 585
Tapon-Bretaudiere J *see* Charef S, 425
Tay WM and Braden M, Load deformation behaviour during a diametral test, 361
Thomas NP *see* Turner IG, 321
Thompson I and Rawlings RD, Mechanical behaviour of zirconia and zirconia-toughened alumina in a simulated body environment, 505
Thomsen P *see* Bjursten LM, 596
Tighe BJ *see* Holland SJ, 206
see Yasin M, 451
Tirrell DA *see* Ferritto MS, 645
Tormala P *see* Vasenius J, 501
Tseng Y-C, Hyon S-H and Ikada Y, Modification of synthesis and investigation of properties for 2-cyanoacrylates, 73
Tsuei ACR and Yang VC, Preparation of diethylaminoethyl hollow fibres for high-flow liquid chromatography, 734
Tsukada M *see* Minoura N, 430
Turner IG and Thomas NP, Comparative analysis of four types of synthetic anterior cruciate ligament replacement in the goat: *in vivo* histological and mechanical findings, 321

Uludag H and Sefton MV, Colorimetric assay for cellular activity in microcapsules, 708

Vaandrager JM *see* Van Mullem PJ, 299
Vacik J *see* Lopour P, 397
Vainionpaa S *see* Vasenius J, 501
van Wachem PB, Stronck JWS, Koers-Zuideveld R, Dijk F and Wildevuur CRH, Vacuum cell seeding: a new method for the fast application of an evenly distributed cell layer on porous vascular grafts, 602
van der Does L *see* Brinkman E, 200
van der Hooff A *see* Wu S-C, 491
van der Lei B *see* Hoppen HJ, 286
van der Lubbe HBM *see* Wu S-C, 491
von Fraunhofer JA *see* Metz SA, 197
Van Mullem PJ, Vaandrager JM, Nicolai JPA and De Wijn JR, Implantation of porous acrylic cement in soft tissues: an animal and human biopsy histological study, 299
Vancurova D *see* Wasserbauer R, 36
see Beranova M, 521
Vasenius J, Vainionpaa S, Viktonen K, Makela A, Rokkanen P, Mero M and Tormala P, Comparison of *in vitro* hydrolysis, subcutaneous and intramedullary implantation to evaluate the strength retention of absorbable osteosynthesis implants, 501
Vesely I *see* Song T, 191
Viktonen K *see* Vasenius J, 501
Vondracek P *see* Cifkova I, 393
see Lopour P, 397

Wang HT, Palmer H, Linhardt RJ, Flanagan DR and Schmitt E, Degradation of poly(ester) microspheres, 679
Wasserbauer R *see* Beranova M, 521
Wasserbauer R, Beranova M, Vancurova D and Dolezel B, Biodegradation of polyethylene foils by bacterial and liver homogenates, 36
Watts JF *see* Davies MC, 228
Whaley KJ *see* Radomsky ML, 619
Wheatley MA, Schrope B and Shen P, Contrast agents for diagnostic ultrasound: development and evaluation of polymer-coated microbubbles, 713
Wildevuur CRH *see* van Wachem PB, 602
Willins MJ *see* Gorham SD, 113
Wilson AD *see* Scott RP, 341
see Ellis J, 379
Wintermantel E *see* Langer R, 738
Woerly S, Marchand R and Lavallee C, Intracerebral implantation of synthetic polymer/biopolymer matrix: a new perspective for brain repair, 97
Wolke JGC *see* Klein CPAT, 509
Wood DJ, Minns RJ and Strover A, Replacement of the rabbit medial meniscus with a polyester–carbon fibre bioprosthesis, 13
Wood EJ *see* Rowling PJE, 181
Wu, S-C, Klein CPAT, van der Lubbe HBM, de Groot K and van der Hooff A, Histological evaluation of biocompatible orthopaedic polymer, 491

Yamamuro T *see* Ono K, 265
Yamanaka H *see* Fukuzaki H, 441
Yamashita S *see* Ikeda Y, 553
Yang HJ *see* Chen JP, 625
Yang VC *see* Tsuei ACR, 734
Yasin M *see* Holland SJ, 206
Yasin M, Holland SJ and Tighe BJ, Polymers for biodegradable medical devices. V. Hydroxybutyrate–hydroxyvalerate copolymers: effects of polymer processing on hydrolytic degradation, 451
Yli-Urpo AUO *see* Hautaniemi JA, 62
Yoshida M *see* Fukuzaki H, 441
Yoshimura M *see* Ioku K, 57
Yoshioka K *see* Matsuda K, 351
Yuasa H *see* Fukuzaki H, 441

Zaffe D *see* Gatti AM, 513

Subject Index

Absorption
biodegradation, sutures; 41
Adhesives
dental materials, hydroxyapatite; 341
dental materials, hydroxyapatite; 379
cytotoxicity, fibroblast; 133
drug delivery, peptides; 652
Adsorption
albumin, alumina, polyurethane; 255
fibrinogen, albumin, surface charge; 258
Albumin
adsorption, alumina, polyurethane; 255
fibrinogen, adsorption, surface charge; 258
platelets, surface activation, fibrinogen; 24
Alkyl methacrylates
polyethylene oxide, protein resistance, protein removal; 455
Alumina
albumin, adsorption, polyurethane; 255
zirconia, mechanical properties; 505
Amino acids
biodegradation, drug delivery; 686
Amylase
drug delivery, polysaccharide, biodegradation; 695
Angiogenesis
drug delivery, proteins; 615
Anterior cruciate ligaments
mechanical properties, bone, video dimensional analyser;89
polyester, PTFE, carbon fibres; 321
Antibiotics
drug delivery, ocular implant; 724
Anticoagulants
polystyrene, heparin, thrombin; 425
Artificial skin
polyesterurethane networks, lysine diisocyanate, biodegradation; 291
Bacterial colonization
implants, carbon; 389
Barium sulphoxide
microspheres, radiopacity, p(HEMA), emboli; 477
Bioactive glass
ceramics, fibronectin; 281
Biocompatibility
PMMA, implants; 299
composites, silicone rubber, hydrogels; 393
implants, copolymers; 491
Biodegradation
polyethylene foils; 36
synthesis, cyanoacrylate; 73
polyhydroxybutyrate, polyhydroxyvalerate; 451
silk fibroin, membranes; 430
polyesterurethane networks, lysine diisocyanate, artificial skin; 291
surface hydrolysis, polypeptide fibres, mechancial properties; 409
copoly(D-lactic acid/DL-hydroxy acids), drug delivery; 441
membranes, cellulose; 561
membranes, cellulose; 565
poly(γ-caprolactone), poly(L-lactic acid), polyglycolic acid-co-L-lactic acid, polymer blends; 108
adsorption, sutures; 41
drug delivery, hydrogels; 345
drug delivery, nanoparticles; 590
microspheres, poly(esters); 679
amino acids, drug delivery; 686
drug delivery, poly(ortho esters); 659
drug delivery, polysaccharide, amylase; 695
drug delivery, polyanhydrides, carmustine; 699
drug delivery, polyiminocarbonates, mechanical properties; 666
Bioerodible polymers
drug delivery, hydrophobic ointments; 235
Biointeractions '90
conference report; 607
Biosensors
thrombogenicity, oxygen partial pressure; 414
Blood coagulation
latex particles, surface potential, hydrophobicity; 385
Blood compatibility
hydrogels, poly(ethylene oxide); 119
hydrophilic coatings, poly(vinyl pyrrolidone), mechanical properties; 419
Blood–material interactions
characterization, conference report; 138
drug delivery, diffusion, polyurethane; 553
Bone
anterior cruciate ligaments, mechanical properties, video dimensional analyser; 89
tantalum, niobium, titanium, interface; 276
titanium, bone harvest chamber; 216
calcium phosphate, titanium, coatings; 244
Bone cements
calcium phosphate, mechanical properties, calcite, hydroxyapatite; 83
Bone defect fillers
osteoconduction, ceramics, hydroxyapatite; 265
Bone harvest chamber
titanium, bone; 216
Bone ingrowth
calcium phosphate, coatings; 531
Book reviews
Bio-Incompatibility and Dialysis, M E De Bioe *et al.*; 367
Controlled Release Technologies: A Survey of Research and Commercial Applications, R Duncan and L W Seymour; 224
Polymers: Biomaterials and Medical Applications, J I Kroschwitz; 367
Materials Sciences and Implant Surgery, R Kossowsky and N Kossovsky; 367
Material Properties and Stress Analysis in Biomechanics, A L Yettram; 368
Burns
collagen, fibroblast, dermal equivalent; 181
Calcification
drug delivery, heart valve prostheses; 718
Calcite
calcium phosphate, bone cements, mechanical properties, hydroxyapatite; 83
Calcium phosphate
bone cements, mechanical properties, calcite, hydroxyapatite; 83
ceramics, solubility; 509
dental materials, hydroxyapatite; 513
computer graphics, hydroxyapatite, crystal structure; 573
coatings, bone ingrowth; 531
titanium, bone, coatings; 244
Carbon
corrosion, surgical alloys; 336
implants, bacterial colonization; 389
Carbon fibres
implants, dental materials; 525
anterior cruciate ligaments, polyester, PTFE; 321
Carmustine
drug delivery, polyanhydrides, biodegradation; 699
Carrageenan
tissue cages, irritation, rats; 46
Cell adhesion
hydroxyapatite, osteoblasts; 50
Cell attachment
fibroblast, collagen, collagen/glycosaminoglycan composites; 162
Cell function
microencapsulation, membranes; 708
Cell growth
vascular prostheses, endothelium; 702
Cell–material interface
titanium, ultrastructure; 596
Cell–polymer interactions
polymer grafting, surface analysis; 585
drug delivery, orthopaedic biomaterials, 738
Cell-seeding
vascular prostheses, endothelium; 602
Cellular invasion
collagen; 113
Cellulose
biodegradation, membranes; 561
biodegradation, membranes; 565
fibres, liquid chromatography; 734
Ceramics
calcium phosphate, solubility; 509
bioactive glass, fibronectin; 281
osteoconduction, bone defect fillers, hydroxyapatite, 265

Characterization
blood–material interactions, conference report; 138
Chondroitin 6-sulphate
collagen, wound dressings; 356
Coatings
calcium phosphate, bone ingrowth; 531
calcium phosphate, titanium, bone; 244
Collagen
fibroblast, dermal equivalent, burns; 181
fibroblast, cell attachment, collagen/glycosaminoglycan composites; 162
p(HEMA), hydrogels; 238
tissue response, inflammation, collagen/glycosaminoglycan composites; 155
cellular invasion; 113
wound dressing, glycosaminoglycans; 351
wound dressings, chondroitin 6-sulphate; 356
composites, hydroxyapatite; 568
implants, tissue regeneration; 176
tendon, ligament prosthesis, mechanical properties; 169
composites, stress, model; 465
Collagen/glycosaminoglycan composites
fibroblast, cell attachment, collagen; 162
tissue response, inflammation, collagen; 155
Composites
silicone rubber, hydrogels, biocompatibility; 393
polymers, silicone rubber, hydrogels; 397
fracture plates, mechanical properties; 541
prostheses, mechanical properties; 548
collagen, hydroxyapatite; 568
collagen, stress, model; 465
Computer graphics
hydroxyapatite, calcium phosphate, crystal structure; 573
Conference report
Biointeractions '90; 607
blood–material interactions, characterization; 138
Contact angle measurements
radiofrequency glow discharge, hydrophobicity, polydimethylsiloxane, protein adsorption; 32
Contact lenses
hydrogels, mechanical properties; 404
Contaminants
endothelium, PTFE, surface analysis; 9
Contrast agents
ultrasound, echogenicity, microcapsules, microbubbles; 713
Copoly(D-lactic acid/DL-hydroxy acids)
biodegradation, drug delivery; 441
Copolyether urethanes
poly(ethylene oxide), grafting, platelet deposition; 200
Copolymers
x-ray photoelectron spectroscopy, secondary ion mass spectroscopy, surface analysis; 228
thrombogenicity, poly(vinyl chloride); 473
dental materials, tissue conditioners; 579
implants, biocompatibility; 491
hydrogels, swelling; 635
drug delivery, proteins; 619
poly(methacrylic acid), membranes; 645
Corrosion
carbon, surgical alloys; 336
implants, surgical alloys; 330
Crystal structure
computer graphics, hydroxyapatite, calcium phosphate; 573
Cyanoacrylate
synthesis, biodegradation; 73
Cytochrome P-450
liver, microsomal fraction, polymer oxidation; 521
Cytotoxicity
fibroblast, adhesives; 133
Dental materials
palladium, surface analysis; 62
hydroxyapatite, adhesives; 341
hydroxyapatite, adhesives; 379
mechanical properties, sorption; 219
elastomers, methacrylates, mechanical properties, water sorption; 482
hydroxyapatite, calcium phosphate; 513
mechanical properties; 361
implants, carbon fibres; 525
dimethacrylate monomer, mechanical properties; 272
zinc phosphate, organic acids; 435
tissue conditioners, copolymers; 579
Dermal equivalent
collagen, fibroblast, burns; 181
Diffusion
drug delivery, blood–material interactions, polyurethane; 553
Dimethacrylate monomer
dental materials, mechanical properties; 272
Drug delivery
bioerodible polymers, hydrophobic ointments; 235
copoly(D-lactic acid/DL-hydroxy acids), biodegradation; 441
biodegradation, hydrogels; 345
blood–material interactions, diffusion, polyurethane; 553
biodegradation, nanoparticles; 590
membranes, transdermal permeation; 729
peptides, adhesives; 652
proteins, copolymers; 619
proteins, angiogenesis; 615
biodegradation, amino acids; 686
poly(ortho esters), biodegradation; 659
polyanhydrides, polymer structure; 690
ocular implant, antibiotics; 724
cell–polymer interactions, orthopaedic biomaterials; 738
polysaccharide, biodegradation, amylase; 695
polyanhydrides, biodegradation, carmustine; 699
calcification, heart valve prostheses; 718
polyiminocarbonates, mechanical properties, biodegradation; 666
Echogenicity
ultrasound, contrast agents, microcapsules, microbubbles; 713
Elastin
fibrin; 518
Elastomers
dental materials, methacrylates, mechanical properties, water sorption; 482
Emboli
microspheres, radiopacity, barium sulphoxide, p(HEMA); 477
Endothelium
PTFE, contaminants, surface analysis; 9
vascular prostheses, meshed vascular tissue; 4
vascular prostheses, cell-seeding; 602
cell growth, vascular prostheses; 702
Fibres
cellulose, liquid chromatography; 734
Fibrin
elastin; 518
Fibrinogen
albumin, adsorption, surface charge; 258
platelets, surface activation, albumin; 24
Fibroblast
collagen, dermal equivalent, burns; 181
cytotoxicity, adhesives; 133
cell attachment, collagen, collagen/glycosaminoglycan composites; 162
Fibronectin
bioactive glass, ceramics; 281
Fracture plates
composites, mechanical properties; 541
Fretting corrosion
hip prostheses, modular heads; 495
Glutaraldehyde fixation
porcine xenograft, mechanical properties; 191
Glycidly methacrylate–styrene copolymer
immunologic agglutination, latex particles, human IgG; 122
Glycosaminoglycans
collagen, wound dressings; 351
Goniophotometry
hydroxybutyrate-hydroxyvalerate copolymer, polysaccharides, hydrolytic degradation; 206
Grafting
copolyether urethanes, poly(ethylene oxide), platelet deposition; 200
Heart valve prostheses
mechanical properties, pericardium; 186
drug delivery, calcification; 718
Heparin
anticoagulants, polystyrene, thrombin; 425
Hip prostheses
fretting corrosion, modular heads; 495
Human IgG
immunologic agglutination, glycidly methacrylate–styrene copolymer, latex particles; 122
Hydrogels
collagen, p(HEMA); 238
contact lenses, mechanical properties; 404
composites, silicone rubber, biocompatibility; 393
copolymers, swelling; 635
polymers, composites, silicone rubber; 397
poly(ethylene oxide), blood compatibility; 119
polyhydroxyethylmethacrylate, nuclear magnetic relaxation; 17
drug delivery, biodegradation; 345
Hydrolytic degradation
hydroxybutyrate-hydroxyvalerate copolymer, polysaccharides, goniophotometry; 206
Hydrophilic coatings
poly(vinyl pyrrolidone), mechanical properties, blood compatibility; 419
Hydrophobic ointments
drug delivery, bioerodible polymers; 235
Hydrophobicity
blood coagulation, latex particles, surface potential; 385
radiofrequency glow discharge, polydimethylsiloxane, contact angle measurements, protein adsorption; 32
Hydroxyapatite
dental materials, adhesives; 341
dental materials, adhesives; 379
calcium phosphate, bone cements, mechanical properties, calcite; 83
zirconia, mechanical properties; 57
cell adhesion, osteoblasts; 50
dental materials, calcium phosphate; 513
computer graphics, calcium phosphate, crystal structure; 573
composites, collagen; 568
osteoconduction, bone defect fillers, ceramics; 265
Hydroxybutyrate-hydroxyvalerate copolymer
polysaccharides, hydrolytic degradation, goniophotometry; 206
Immunoglobulins
polymer–protein conjugates; 631
Immunologic agglutination
glycidly methacrylate–styrene copolymer, latex particles, human IgG; 122
Implants
surgical alloys, corrosion; 330
PMMA, biocompatibility; 299
mechanical properties, polyglycolide; 501
carbon, bacterial colonization; 389
dental materials, carbon fibres; 525
copolymers, biocompatibility; 491
collagen, tissue regeneration; 176

Inflammation
tissue response, collagen, collagen/glycosaminoglycan composites; 155
Interface
tantalum, niobium, titanium, bone; 276
Intracerebral implantation
p(HEMA)-collagen composite, p(GMA)-collagen composite, porosimetry; 97
Intraocular lenses
lasers, PMMA; 305
lasers, PMMA; 313
Irritation
tissue cages, carrageenan, rats; 46
Lasers
intraocular lenses, PMMA; 305, 313
Latex particles
immunologic agglutinaiton, glycidyl methacrylate–styrene copolymer, human IgG; 122
blood coagulation, surface potential, hydrophobicity; 385
Letter to the Editor; 447
Leucocytes
polyether urethanes; 370
Ligament prosthesis
collagen, tendon, mechanical properties; 169
Liquid chromatography
cellulose, fibres; 734
Liver
microsomal fraction, polymer oxidation, cytochrome P-450; 521
Lysine diisocyanate
polyesterurethane networks, biodegradation, artificial skin; 291
Mechanical properties
calcium phosphate, bone cements, calcite, hydroxyapatite; 83
hydroxyapatite, zirconia; 57
anterior cruciate ligaments, bone, video dimensional analyser; 89
dental materials, sorption; 219
zirconia, alumina; 505
dental materials, elastomers, methacrylates, water sorption; 482
contact lenses, hydrogels; 404
implants, polyglycolide; 501
heart valve prostheses, pericardium; 186
dental materials; 361
dental materials, dimethacrylate monomer; 272
composites, fracture plates; 541
biodegradation, surface hydrolysis, polypeptide fibres; 409
composites, prostheses; 548
collagen, tendon, ligament prosthesis; 169
porcine xenograft, glutaraldehyde fixation; 191
hydrophilic coatings, poly(vinyl pyrrolidone), blood compatibility; 419
drug delivery, polyiminocarbonates, biodegradation; 666
Membranes
silk fibroin, biodegradation; 430
biodegradation, cellulose; 561
biodegradation, cellulose; 565
drug delivery, transdermal permeation; 729
poly(methacrylic acid), copolymers; 645
microencapsulation, cell function; 708
Meniscus prosthesis
polyester–carbon fibre; 13
Meshed vascular tissue
vascular prostheses, endothelium; 4
Methacrylates
dental materials, elastomers, mechanical properties, water sorption; 482
Microbubbles
ultrasound, contrast agents, echogenicity, microcapsules; 713
Microcapsules
ultrasound, contrast agents, echogenicity, microbubbles; 713
Microencapsulation
membranes, cell function; 708
Microporous layers
nerve regeneration, synthetic nerve guides, poly(L-lactide); 286
Microsomal fraction
liver, polymer oxidation, cytochrome P-450; 521
Microspheres
radiopacity, barium sulphoxide, p(HEMA), emboli; 477
biodegradation, poly(esters); 679
Model
collagen, composites, stress; 465
Modular heads
fretting corrosion, hip prostheses; 495
Nanoparticles
biodegradation, drug delivery; 590
Nerve regeneration
synthetic nerve guides, poly(L-lactide), microporous layers; 286
Niobium
tantalum, titanium, interface, bone; 276
Nuclear magnetic relaxation
hydrogels, polyhydroxyethylmethacrylate; 17
Ocular implant
drug delivery, antibiotics; 724
Organic acids
dental materials, zinc phosphate; 435
Orthopaedic biomaterials
drug delivery, cell–polymer interactions; 738
Osteoblasts
cell adhesion, hydroxyapatite; 50
Osteoconduction
bone defect fillers, ceramics, hydroxyapatite; 265
Oxygen partial pressure
thrombogenicity, biosensors; 414
p(GMA)–collagen composite
p(HEMA)–collagen composite, intracerebral implantation, porosimetry; 97
p(HEMA)
collagen, hydrogels; 238
microspheres, radiopacity, barium sulphoxide, emboli; 477
p(HEMA)–collagen composite
p(GMA)–collagen composite, intracerebral implantation, porosimetry; 97
Palladium
dental materials, surface analysis; 62
Peptides
drug delivery, adhesives; 652
Pericardium
mechanical properties, heart valve prostheses; 186
Platelet adhesion
polymer coating, thrombin; 127
Platelet deposition
copolyether urethanes, poly(ethylene oxide), grafting; 200
Platelets
surface activation, albumin, fibrinogen; 24
PMMA
lasers, intraocular lenses; 305, 313
Poly(esters)
microspheres, biodegradation; 679
Poly(ethylene oxide)
copolyether urethanes, grafting, platelet deposition; 200
hydrogels, blood compatibility; 119
Poly(glycolic acid)
stress relaxation, sutures, polypropylene, polydioxanone; 197
Poly(L-lactic acid)
biodegradation, poly(γ-caprolactone), polyglycolic acid-co-L-lactic acid, polymer blends; 108
Poly(L-lactide)
nerve regeneration, synthetic nerve guides, microporous layers; 286
Poly(methacrylic acid)
membranes, copolymers; 645
Poly(ortho esters)
drug delivery, biodegradation; 659
Poly(vinyl chloride)
thrombogenicity, copolymers; 473
Poly(vinyl pyrrolidone)
hydrophilic coatings, mechanical properties, blood compatibility; 419
Poly(γ-caprolactone)
biodegradation, poly(L-lactic acid), polyglycolic acid-co-L-lactic acid, polymer blends; 108
Polyanhydrides
drug delivery, polymer structure; 690
drug delivery, biodegradation, carmustine; 699
Polydimethylsiloxane
radiofrequency glow discharge, hydrophobicity, contact angle measurements, protein adsorption; 32
Polydioxanone
stress relaxation, sutures, polypropylene, poly(glycolic acid), 197
Polyester
anterior cruciate ligaments, PTFE, carbon fibres; 321
Polyester–carbon fibre
meniscus prosthesis; 13
Polyesterurethane networks
lysine diisocyanate, biodegradation, artificial skin; 291
Polyether urethanes
leucocytes; 370
Polyethylene foils
biodegradation; 36
Polyethylene oxide
alkyl methacrylates, protein resistance, protein removal; 455
Polyglycolic acid-co-L-lactic acid
biodegradation, poly(γ-caprolactone), poly(L-lactic acid), polymer blends; 108
Polyglycolide
implants, mechanical properties; 501
Polyhydroxybutyrate
biodegradation, polyhydroxyvalerate; 451
Polyhydroxyethylmethacrylate
hydrogels, nuclear magnetic relaxation; 17
Polyhydroxyvalerate
biodegradation, polyhydroxybutyrate; 451
Polyiminocarbonates
drug delivery, mechanical properties, biodegradation; 666
Polymer blends
biodegradation, poly(γ-caprolactone), poly(L-lactic acid), polyglycolic acid-co-L-lactic acid; 108
Polymer coating
platelet adhesion, thrombin; 127
Polymer grafting
surface analysis, cell–polymer interactions; 585
Polymer oxidation
liver, microsomal fraction, cytochrome P-450; 521
Polymer structure
drug delivery, polyanhydrides; 690
Polymer–protein conjugates
proteins, polymers; 625
immunoglobulins; 631
Polymers
composites, silicone rubber, hydrogels; 397
proteins, polymer–protein conjugates; 625
Polypeptide fibres
biodegradation, surface hydrolysis, mechanical properties; 409
Polypropylene
stress relaxation, sutures, polydioxanone, poly(glycolic acid); 197
Polysaccharide
drug delivery, biodegradation, amylase; 695

Polysaccharides
hydroxybutyrate–hydroxyvalerate copolymer, hydrolytic degradation, goniophotometry; 206
Polystyrene
anticoagulants, heparin, thrombin; 425
Polyurethane
albumin, adsorption, alumina; 255
drug delivery, blood–material interactions, diffusion; 553
Porcine xenograft
glutaraldehyde fixation, mechanical properties; 191
Porosimetry
p(HEMA)–collagen composite, p(GMA)–collagen composite, intracerebral implantation; 97
Prostheses
composites, mechanical properties; 548
Protein adsorption
radiofrequency glow discharge, hydrophobicity, polydimethylsiloxane, contact angle measurements; 32
Protein removal
polyethylene oxide, alkyl methacrylates, protein resistance; 455
Protein resistance
polyethylene oxide, alkyl methacrylates, protein removal; 455
Proteins
polymers, polymer–protein conjugates; 625
drug delivery, copolymers; 619
drug delivery, angiogenesis; 615
polymer–protein conjugates, immunoglobulins; 690
PTFE
endothelium, contaminants, surface analysis; 9
anterior cruciate ligaments, polyester, carbon fibres; 321
Radiofrequency glow discharge
hydrophobicity, polydimethylsiloxane, contact angle measurements, protein adsorption; 32
Radiopacity
microspheres, barium sulphoxide, p(HEMA), emboli; 477
Rats
tissue cages, carrageenan, irritation; 46
Secondary ion mass spectroscopy
x-ray photoelectron spectroscopy, surface analysis, copolymers; 228
Silicone rubber
composites, hydrogels, biocompatibility; 393
polymers, composites, hydrogels; 397
Silk fibroin
membranes, biodegradation; 430
Solubility
calcium phosphate, ceramics; 509
Sorption
dental materials, mechanical properties; 219
Stress
collagen, composites, model; 465
Stress relaxation
sutures, polypropylene, polydioxanone, poly(glycolic acid); 197
Surface activation
platelets, albumin, fibrinogen; 24
Surface analysis
polymer grafting, cell–polymer interactions; 585
dental materials, palladium; 62
endothelium, PTFE, contaminants; 9
x-ray photoelectron spectroscopy, secondary ion mass spectroscopy, copolymers; 228
Surface charge
fibrinogen, albumin, adsorption; 258
Surface hydrolysis
biodegradation, polypeptide fibres, mechanical properties; 409
Surface potential
blood coagulation, latex particles, hydrophobicity; 385
Surgical alloys
corrosion, carbon; 336
implants, corrosion; 330
Sutures
stress relaxation, polypropylene, polydioxanone, poly(glycolic acid); 197
biodegradation, absorption; 41
Swelling
hydrogels, copolymers; 635
Synthesis
cyanoacrylate, biodegradation; 73
Synthetic nerve guides
nerve regeneration, poly(L-lactide), microporous layers; 286
Tantalum
niobium, titanium, interface, bone; 276
Tendon
collagen, ligament prosthesis, mechanical properties; 169
Thrombin
anticoagulants, polystyrene, heparin; 425
platelet adhesion, polymer coating; 127
Thrombogenicity
copolymers, poly(vinyl chloride); 473
biosensors, oxygen partial pressure; 414
Tissue cages
carrageenan, irritation, rats; 46
Tissue conditioners
dental materials, copolymers; 579
Tissue regeneration
collagen, implants; 176
Tissue response
inflammation, collagen, collagen/glycosaminoglycan composites; 155
Titanium
tantalum, niobium, interface, bone; 276
bone harvest chamber, bone; 216
cell–material interface, ultrastructure; 596
calcium phosphate, bone, coatings; 244
Transdermal permeation
drug delivery, membranes; 729
Ultrasound
contrast agents, echogenicity, microcapsules, microbubbles; 713
Ultrastructure
titanium, cell–material interface; 596
Vascular prostheses
endothelium, meshed vascular tissue; 4
cell-seeding, endothelium; 602
cell growth, endothelium; 702
Video dimensional analyser
anterior cruciate ligaments, mechanical properties, bone; 89
Water sorption
dental materials, elastomers, methacrylates, mechanical properties; 482
Wound dressings
collagen, glycosaminoglycans; 351
collagen, chondroitin 6-sulphate; 356
X-ray photoelectron spectroscopy
secondary ion mass spectroscopy, surface analysis, copolymers; 228
Zinc phosphate
dental materials, organic acid; 435
Zirconia
hydroxyapatite, mechanical properties; 57
alumina, mechanical properties; 505